

FUTURE

TABELLA DI SELEZIONE | SELECTION TABLE

FUTURE 10/15

| Modello Model | A_k [m ²] | Q [m ³ /h] | | L_{WA} [dB(A)] | | $X_{(0,25)}$ [m] | | Dp_t [Pa] | |
|-----------------------|-------------------------|-----------------------|-----|------------------|-----|------------------|------|-------------|-----|
| | | min | max | min | max | min | max | min | max |
| FUTURE 200x100 | 0,0055 | 50 | 110 | 20 | 27 | 2,9 | 5,3 | 5 | 20 |
| FUTURE 300x100 | 0,0083 | 80 | 160 | 20 | 34 | 3,5 | 6,6 | 5 | 20 |
| FUTURE 400x100 | 0,0145 | 130 | 270 | 22 | 36 | 4,3 | 8,5 | 5 | 20 |
| FUTURE 500x100 | 0,0206 | 190 | 390 | 24 | 38 | 5,3 | 10,3 | 5 | 20 |

FUTURE T

| Modello Model | A_k [m ²] | Q [m ³ /h] | | L_{WA} [dB(A)] | | Dp_t [Pa] | |
|-----------------------|-------------------------|-----------------------|-----|------------------|-----|-------------|-----|
| | | min | max | min | max | min | max |
| FUTURE 200x100 | 0,0078 | 30 | 80 | <20 | 25 | 5 | 20 |
| FUTURE 300x100 | 0,0104 | 40 | 110 | 20 | 34 | 5 | 20 |
| FUTURE 400x100 | 0,013 | 50 | 130 | 22 | 36 | 5 | 20 |
| FUTURE 500x100 | 0,0156 | 60 | 160 | 24 | 38 | 5 | 20 |